

CompTIA Security+ Certification Exam Objectives

EXAM NUMBER: SY0-601



About the Exam

Candidates are encouraged to use this document to help prepare for the CompTIA Security+ (SYo-601) certification exam. The CompTIA Security+ certification exam will verify the successful candidate has the knowledge and skills required to:

- Assess the security posture of an enterprise environment and recommend and implement appropriate security solutions
- · Monitor and secure hybrid environments, including cloud, mobile, and IoT
- Operate with an awareness of applicable laws and policies, including principles of governance, risk, and compliance
- · Identify, analyze, and respond to security events and incidents

This is equivalent to two years of hands-on experience working in a security/systems administrator job role.

These content examples are meant to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

EXAM DEVELOPMENT

CompTIA exams result from subject matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an IT professional.

COMPTIA AUTHORIZED MATERIALS USE POLICY

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse or condone utilizing any content provided by unauthorized third-party training sites (aka "brain dumps"). Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the **CompTIA Certification Exam Policies**. Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the **CompTIA Candidate Agreement**. If a candidate has a question as to whether study materials are considered unauthorized (aka "brain dumps"), they should contact CompTIA at **examsecurity@comptia.org** to confirm.

PLEASE NOTE

The lists of examples provided in bulleted format are not exhaustive lists. Other examples of technologies, processes, or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document. CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current, and the security of the questions is protected. When necessary, we will publish updated exams based on testing exam objectives. Please know that all related exam preparation materials will still be valid.



TEST DETAILS

Required exam SY0-601

Number of questions Maximum of 90

Types of questions Multiple-choice and performance-based

Length of test 90 minutes

Recommended experience • At least 2 years of work experience

in IT systems administration with

a focus on security

• Hands-on technical information security experience

• Broad knowledge of security concepts

Passing score 750 (on a scale of 100–900)

EXAM OBJECTIVES (DOMAINS)

The table below lists the domains measured by this examination and the extent to which they are represented:

| DOMAIN | PERCENTAGE OF EXAMINATION | |
|---|---------------------------|--|
| 1.0 Attacks, Threats, and Vulnerabilities | 24% | |
| 2.0 Architecture and Design | 21% | |
| 3.0 Implementation | 25% | |
| 4.0 Operations and Incident Response | 16% | |
| 5.0 Governance, Risk, and Compliance | 14% | |
| Total | 100% | |





· 1.0 Threats, Attacks, and Vulnerabilities

- Compare and contrast different types of social engineering techniques.
 - Phishing
 - Smishing
 - Vishing
 - Spam
 - · Spam over instant messaging (SPIM)
 - Spear phishing
 - Dumpster diving
 - Shoulder surfing
 - Pharming
 - Tailgating
 - Eliciting information
 - Whaling

- Prepending
- · Identity fraud
- Invoice scams
- · Credential harvesting
- Reconnaissance
- Hoax
- Impersonation
- · Watering hole attack
- Typosquatting
- Pretexting
- Influence campaigns
 - Hybrid warfare

- Social media
- Principles (reasons for effectiveness)
 - Authority
 - Intimidation
 - Consensus
 - Scarcity
 - Familiarity
 - Trust
 - Urgency
- Given a scenario, analyze potential indicators to determine the type of attack.
 - Malware
 - Ransomware
 - Trojans
 - Worms
 - Potentially unwanted programs (PUPs)
 - Fileless virus
 - Command and control
 - Bots
 - Cryptomalware
 - Logic bombs
 - Spyware
 - Keyloggers
 - Remote access Trojan (RAT)
 - Rootkit
 - Backdoor

- · Password attacks
 - Spraying
 - Dictionary
 - Brute force
 - Offline
 - Online
 - Rainbow table
 - Plaintext/unencrypted
- Physical attacks
 - Malicious Universal Serial Bus (USB) cable
 - Malicious flash drive
 - Card cloning
 - Skimming

- · Adversarial artificial intelligence (AI)
 - Tainted training data for machine learning (ML)
 - Security of machine learning algorithms
- Supply-chain attacks
- · Cloud-based vs. on-premises attacks
- Cryptographic attacks
 - Birthday
 - Collision
 - Downgrade





Given a scenario, analyze potential indicators associated with application attacks.

- Privilege escalation
- · Cross-site scripting
- Injections
 - Structured query language (SQL)
 - Dynamic-link library (DLL)
 - Lightweight Directory
 Access Protocol (LDAP)
 - Extensible Markup Language (XML)
- Pointer/object dereference
- Directory traversal
- · Buffer overflows

- · Race conditions
 - Time of check/time of use
- Error handling
- · Improper input handling
- · Replay attack
 - Session replays
- Integer overflow
- Request forgeries
 - Server-side
 - Cross-site

- Application programming interface (API) attacks
- Resource exhaustion
- Memory leak
- · Secure Sockets Layer (SSL) stripping
- · Driver manipulation
 - Shimming
 - Refactoring
- Pass the hash

Given a scenario, analyze potential indicators associated with network attacks.

- Wireless
 - Evil twin
 - Rogue access point
 - Bluesnarfing
 - Bluejacking
 - Disassociation
 - Jamming
 - Radio frequency identification (RFID)
 - Near-field communication (NFC)
 - Initialization vector (IV)
- On-path attack (previously known as man-in-the-middle attack/ man-in-the-browser attack)

- Layer 2 attacks
 - Address Resolution
 - Protocol (ARP) poisoning
 - Media access control (MAC) flooding
 - MAC cloning
- Domain name system (DNS)
 - Domain hijacking
 - DNS poisoning
 - Uniform Resource
 - Locator (URL) redirection
 - Domain reputation
- · Distributed denial-of-service (DDoS)
 - Network

- Application
- Operational technology (OT)
- Malicious code or script execution
 - PowerShell
 - Python
 - Bash
 - Macros
 - Visual Basic for Applications (VBA)





Explain different threat actors, vectors, and intelligence sources.

Actors and threats

- Advanced persistent threat (APT)
- Insider threats
- State actors
- Hacktivists
- Script kiddies
- Criminal syndicates
- Hackers
 - Authorized
 - Unauthorized
 - Semi-authorized
- Shadow IT
- Competitors

Attributes of actors

- Internal/external
- Level of sophistication/capability
- Resources/funding
- Intent/motivation

Vectors

- Direct access
- Wireless
- Email
- Supply chain
- Social media
- Removable media
- Cloud

Threat intelligence sources

- Open-source intelligence (OSINT)
- Closed/proprietary
- Vulnerability databases
- Public/private information-
- sharing centers
- Dark web
- Indicators of compromise

- Automated Indicator Sharing (AIS)
 - Structured Threat Information eXpression (STIX)/Trusted Automated eXchange of Intelligence Information (TAXII)
- Predictive analysis
- Threat maps
- File/code repositories

· Research sources

- Vendor websites
- Vulnerability feeds
- Conferences
- Academic journals
- Request for comments (RFC)
- Local industry groups
- Social media
- Threat feeds
- Adversary tactics, techniques, and procedures (TTP)

Explain the security concerns associated with various types of vulnerabilities.

- Cloud-based vs. on-premises vulnerabilities
- · Zero-day
- Weak configurations
 - Open permissions
 - Unsecure root accounts
 - Errors
 - Weak encryption
 - Unsecure protocols
 - Default settings
 - Open ports and services

- · Third-party risks
 - Vendor management
 - System integration
 - Lack of vendor support
 - Supply chain
 - Outsourced code development
 - Data storage
- · Improper or weak patch management
 - Firmware
 - Operating system (OS)
 - Applications

- Legacy platforms
- Impacts
 - Data loss
 - Data breaches
 - Data exfiltration
 - Identity theft
 - Financial
 - Reputation
 - Availability loss



Summarize the techniques used in security assessments.

- Threat hunting
 - Intelligence fusion
 - Threat feeds
 - Advisories and bulletins
 - Maneuver
- · Vulnerability scans
 - False positives
 - False negatives
 - Log reviews
 - Credentialed vs. non-credentialed
 - Intrusive vs. non-intrusive
 - Application
 - Web application
 - Network
 - Common Vulnerabilities and Exposures (CVE)/Common Vulnerability Scoring System (CVSS)
 - Configuration review

- Syslog/Security information and event management (SIEM)
 - Review reports
 - Packet capture
 - Data inputs
 - User behavior analysis
 - Sentiment analysis
 - Security monitoring
 - Log aggregation
 - Log collectors
- Security orchestration, automation, and response (SOAR)

Explain the techniques used in penetration testing.

- Penetration testing
 - Known environment
 - Unknown environment
 - Partially known environment
 - Rules of engagement
 - Lateral movement
 - Privilege escalation
 - Persistence
 - Cleanup
 - Bug bounty
 - Pivoting

- · Passive and active reconnaissance
 - Drones
 - War flying
 - War driving
 - Footprinting
 - OSINT
- Exercise types
 - Red-team
 - Blue-team
 - White-team
 - Purple-team





- 2.0 Architecture and Design

- Explain the importance of security concepts in an enterprise environment.
 - · Configuration management
 - Diagrams
 - Baseline configuration
 - Standard naming conventions
 - Internet protocol (IP) schema
 - Data sovereignty
 - · Data protection
 - Data loss prevention (DLP)
 - Masking
 - Encryption
 - At rest
 - In transit/motion
 - In processing
 - Tokenization
 - Rights management

- · Geographical considerations
- Response and recovery controls
- Secure Sockets Layer (SSL)/Transport Layer Security (TLS) inspection
- Hashing
- API considerations
- Site resiliency
 - Hot site
 - Cold site
 - Warm site

• Deception and disruption

- Honeypots
- Honeyfiles
- Honeynets
- Fake telemetry
- DNS sinkhole

Summarize virtualization and cloud computing concepts.

- Cloud models
 - Infrastructure as a service (IaaS)
 - Platform as a service (PaaS)
 - Software as a service (SaaS)
 - Anything as a service (XaaS)
 - Public
 - Community
 - Private
 - Hybrid
- Cloud service providers

- Managed service provider (MSP)/ managed security service provider (MSSP)
- On-premises vs. off-premises
- Fog computing
- Edge computing
- Thin client
- Containers
- · Microservices/API

- Infrastructure as code
 - Software-defined networking (SDN)
 - Software-defined visibility (SDV)
- · Serverless architecture
- Services integration
- Resource policies
- Transit gateway
- Virtualization
 - Virtual machine (VM) sprawl avoidance
 - VM escape protection



Summarize secure application development, deployment, and automation concepts.

- Environment
 - Development
 - Test
 - Staging
 - Production
 - Quality assurance (QA)
- · Provisioning and deprovisioning
- Integrity measurement
- Secure coding techniques
 - Normalization
 - Stored procedures
 - Obfuscation/camouflage

- Code reuse/dead code
- Server-side vs. client-side execution and validation
- Memory management
- Use of third-party libraries and software development kits (SDKs)
- Data exposure
- Open Web Application Security Project (OWASP)
- Software diversity
 - Compiler
 - Binary

Automation/scripting

- Automated courses of action
- Continuous monitoring
- Continuous validation
- Continuous integration
- Continuous delivery
- Continuous deployment
- Elasticity
- Scalability
- Version control

Summarize authentication and authorization design concepts.

- · Authentication methods
 - Directory services
 - Federation
 - Attestation
 - Technologies
 - Time-based one-
 - time password (TOTP)
 - HMAC-based one-time password (HOTP)
 - Short message service (SMS)
 - Token key
 - Static codes
 - Authentication applications
 - Push notifications
 - Phone call
 - Smart card authentication

- Biometrics
 - Fingerprint
 - Retina
 - Iris
 - Facial
 - Voice
 - Vein
 - Gait analysis
 - Efficacy rates
 - False acceptance
 - False rejection
 - Crossover error rate

- Multifactor authentication (MFA) factors and attributes
 - Factors
 - Something you know
 - Something you have
 - Something you are
 - Attributes
 - Somewhere you are
 - Something you can do
 - Something you exhibit
 - Someone you know
- Authentication, authorization, and accounting (AAA)
- · Cloud vs. on-premises requirements

^{2.5} Given a scenario, implement cybersecurity resilience.

- Redundancy
 - Geographic dispersal
 - Disk
 - Redundant array of independent (or
 - inexpensive) disks (RAID) levels
 - Multipath
 - Network
 - Load balancers
 - Network interface card (NIC) teaming
 - Power
 - Uninterruptible power supply (UPS)
 - Generator
 - Dual supply
 - Managed power

- distribution units (PDUs)
- Replication
 - Storage area network
 - VM
- · On-premises vs. cloud
- Backup types
 - Full
 - Incremental
 - Snapshot
 - Differential
 - Tape
 - Disk
 - Copy
 - Network-attached storage (NAS)
 - Storage area network
 - Cloud
 - Image

- Online vs. offline
- Offsite storage
 - Distance considerations
- · Non-persistence
 - Revert to known state
 - Last known-good configuration
 - Live boot media
- · High availability
 - Scalability
- · Restoration order
- Diversity
 - Technologies
 - Vendors
 - Crypto
 - Controls

Explain the security implications of embedded and specialized systems.

- Embedded systems
 - Raspberry Pi
 - Field-programmable gate array (FPGA)
 - Arduino
- Supervisory control and data acquisition (SCADA)/industrial control system (ICS)
 - Facilities
 - Industrial
 - Manufacturing
 - Energy
 - Logistics
- Internet of Things (IoT)
 - Sensors
 - Smart devices
 - Wearables
 - Facility automation
 - Weak defaults

- Specialized
 - Medical systems
 - Vehicles
 - Aircraft
- Smart meters
- Voice over IP (VoIP)
- Heating, ventilation, air conditioning (HVAC)
- Drones
- Multifunction printer (MFP)
- Real-time operating system (RTOS)
- Surveillance systems
- System on chip (SoC)
- Communication considerations
 - 5G
 - Narrow-band
 - Baseband radio

- Subscriber identity module (SIM) cards
- Zigbee
- Constraints
 - Power
 - Compute
 - Network
 - Crypto
 - Inability to patch
 - Authentication
 - Range
 - Cost
 - Implied trust





Explain the importance of physical security controls.

- · Bollards/barricades
- Access control vestibules
- Badges
- Alarms
- Signage
- Cameras
 - Motion recognition
 - Object detection
- Closed-circuit television (CCTV)
- · Industrial camouflage
- Personnel
 - Guards
 - Robot sentries
 - Reception
 - Two-person integrity/control
- Locks
 - Biometrics

- Electronic
- Physical
- Cable locks
- · USB data blocker
- Lighting
- Fencing
- · Fire suppression
- Sensors
 - Motion detection
 - Noise detection
 - Proximity reader
 - Moisture detection
 - Cards
 - Temperature
- Drones
- Visitor logs
- · Faraday cages

- · Air gap
- Screened subnet (previously known as demilitarized zone)
- Protected cable distribution
- Secure areas
 - Air gap
 - Vault
 - Safe
 - Hot aisle
 - Cold aisle
- Secure data destruction
 - Burning
 - Shredding
 - Pulping
 - Pulverizing
 - Degaussing
 - Third-party solutions

Summarize the basics of cryptographic concepts.

- Digital signatures
- · Key length
- Key stretching
- Salting
- Hashing
- Key exchange
- · Elliptic-curve cryptography
- Perfect forward secrecy
- Quantum
 - Communications
 - Computing
- Post-quantum
- Ephemeral
- Modes of operation
 - Authenticated
 - Unauthenticated
 - Counter

- Blockchain
 - Public ledgers
- Cipher suites
 - Stream
 - Block
- · Symmetric vs. asymmetric
- · Lightweight cryptography
- Steganography
 - Audio
 - Video
 - Image
- Homomorphic encryption
- Common use cases
 - Low power devices
 - Low latency
 - High resiliency
 - Supporting confidentiality

- Supporting integrity
- Supporting obfuscation
- Supporting authentication
- Supporting non-repudiation
- Limitations
 - Speed
 - Size
 - Weak keys
 - Time
 - Longevity
 - Predictability
 - Reuse
 - Entropy
 - Computational overheads
 - Resource vs. security constraints





-3.0 Implementation

Given a scenario, implement secure protocols.

- Protocols
 - Domain Name System Security Extensions (DNSSEC)
 - SSI
 - Secure/Multipurpose Internet Mail Extensions (S/MIME)
 - Secure Real-time Transport Protocol (SRTP)
 - Lightweight Directory Access Protocol Over SSL (LDAPS)
 - File Transfer Protocol, Secure (FTPS)
 - SSH File Transfer Protocol (SFTP)

- Simple Network Management Protocol, version 3 (SNMPv3)
- Hypertext transfer protocol over SSL/TLS (HTTPS)
- IPSec
 - Authentication header (AH)/ Encapsulating Security Payloads (ESP)
 - Tunnel/transport
- Post Office Protocol (POP)/
 Internet Message Access Protocol (IMAP)

- Use cases
 - Voice and video
 - Time synchronization
 - Email and web
 - File transfer
 - Directory services
 - Remote access
 - Domain name resolution
 - Routing and switching
 - Network address allocation
 - Subscription services

Given a scenario, implement host or application security solutions.

Endpoint protection

- Antivirus
- Anti-malware
- Endpoint detection and response (EDR)
- DLF
- Next-generation firewall (NGFW)
- Host-based intrusion prevention system (HIPS)
- Host-based intrusion detection system (HIDS)
- Host-based firewall

Boot integrity

- Boot security/Unified Extensible Firmware Interface (UEFI)
- Measured boot
- Boot attestation

Database

- Tokenization
- Salting
- Hashing

Application security

- Input validations
- Secure cookies
- Hypertext Transfer
 Protocol (HTTP) headers
- Code signing
- Allow list
- Block list/deny list
- Secure coding practices
- Static code analysis
 - Manual code review
- Dynamic code analysis
- Fuzzing

Hardening

- Open ports and services
- Registry
- Disk encryption
- OS
- Patch management
 - Third-party updates
 - Auto-update
- Self-encrypting drive (SED)/ full-disk encryption (FDE)
 - Opal
- Hardware root of trust
- Trusted Platform Module (TPM)
- Sandboxing



Given a scenario, implement secure network designs.

- · Load balancing
 - Active/active
 - Active/passive
 - Scheduling
 - Virtual IP
 - Persistence
- Network segmentation
 - Virtual local area network (VLAN)
 - Screened subnet (previously known as demilitarized zone)
 - East-west traffic
 - Extranet
 - Intranet
 - Zero Trust
- · Virtual private network (VPN)
 - Always-on
 - Split tunnel vs. full tunnel
 - Remote access vs. site-to-site
 - IPSec
 - SSL/TLS
 - HTML5
 - Layer 2 tunneling protocol (L2TP)
- DNS
- Network access control (NAC)
 - Agent and agentless

- · Out-of-band management
- · Port security
 - Broadcast storm prevention
 - Bridge Protocol Data Unit (BPDU) guard
 - Loop prevention
 - Dynamic Host Configuration Protocol (DHCP) snooping
 - Media access control (MAC) filtering
- Network appliances
 - Jump servers
 - Proxy servers
 - Forward
 - Reverse
 - Network-based intrusion detection system (NIDS)/network-based intrusion prevention system (NIPS)
 - Signature-based
 - Heuristic/behavior
 - Anomaly
 - Inline vs. passive
 - HSM
 - Sensors
 - Collectors

- Aggregators
- Firewalls
 - Web application firewall (WAF)
 - NGFW
 - Stateful
 - Stateless
 - Unified threat management (UTM)
 - Network address translation (NAT) gateway
 - Content/URL filter
 - Open-source vs. proprietary
 - Hardware vs. software
 - Appliance vs. host-based vs. virtual
- Access control list (ACL)
- · Route security
- Quality of service (QoS)
- Implications of IPv6
- Port spanning/port mirroring
 - Port taps
- Monitoring services
- File integrity monitors

Given a scenario, install and configure wireless security settings.

- Cryptographic protocols
 - WiFi Protected Access 2 (WPA2)
 - WiFi Protected Access 3 (WPA3)
 - Counter-mode/CBC-MAC Protocol (CCMP)
 - Simultaneous Authentication of Equals (SAE)
- Authentication protocols
 - Extensible Authentication
 - Protocol (EAP)
 - Protected Extensible
 - Authentication Protocol (PEAP)
 - EAP-FAST
 - EAP-TLS
 - EAP-TTLS

- IEEE 802.1X
- Remote Authentication Dial-in User Service (RADIUS) Federation
- Methods
 - Pre-shared key (PSK) vs.
 - Enterprise vs. Open
 - WiFi Protected Setup (WPS)
 - Captive portals
- Installation considerations
 - Site surveys
 - Heat maps
 - WiFi analyzers
 - Channel overlaps
 - Wireless access point (WAP) placement

- Controller and access point security



Given a scenario, implement secure mobile solutions.

· Connection methods and receivers

- Cellular
- WiFi
- Bluetooth
- NFC
- Infrared
- USB
- Point-to-point
- Point-to-multipoint
- Global Positioning System (GPS)
- RFID

· Mobile device management (MDM)

- Application management
- Content management
- Remote wipe
- Geofencing
- Geolocation
- Screen locks
- Push notifications
- Passwords and PINs

- Biometrics
- Context-aware authentication
- Containerization
- Storage segmentation
- Full device encryption

· Mobile devices

- MicroSD hardware security module (HSM)
- MDM/Unified Endpoint Management (UEM)
- Mobile application
- management (MAM)
- SEAndroid

· Enforcement and monitoring of:

- Third-party application stores
- Rooting/jailbreaking
- Sideloading
- Custom firmware
- Carrier unlocking
- Firmware over-the-air (OTA) updates

- Camera use
- SMS/Multimedia Messaging Service (MMS)/Rich Communication
- Services (RCS)
- External media
- USB On-The-Go (USB OTG)
- Recording microphone
- GPS tagging
- WiFi direct/ad hoc
- Tethering
- Hotspot
- Payment methods

Deployment models

- Bring your own device (BYOD)
- Corporate-owned personally enabled (COPE)
- Choose your own device (CYOD)
- Corporate-owned
- Virtual desktop infrastructure (VDI)

Given a scenario, apply cybersecurity solutions to the cloud.

Cloud security controls

- High availability across zones
- Resource policies
- Secrets management
- Integration and auditing
- Storage
 - Permissions
 - Encryption
 - Replication
 - High availability
- Network
 - Virtual networks
 - Public and private subnets
 - Segmentation
 - API inspection and integration
- Compute
 - Security groups
 - Dynamic resource allocation
 - Instance awareness
 - Virtual private
 - cloud (VPC) endpoint
 - Container security

- Solutions
 - CASB
 - Application security
 - Next-generation secure web gateway (SWG)
 - Firewall considerations
 - in a cloud environment
 - Cost
 - Need for segmentation
 - Open Systems
 - Interconnection (OSI) layers
- Cloud native controls vs. third-party solutions



Given a scenario, implement identity and account management controls.

- Identity
 - Identity provider (IdP)
 - Attributes
 - Certificates
 - Tokens
 - SSH keys
 - Smart cards
- Account types
 - User account
 - Shared and generic accounts/credentials

- Guest accounts
- Service accounts
- Account policies
 - Password complexity
 - Password history
 - Password reuse
 - Network location
 - Geofencing
 - Geotagging
 - Geolocation
 - Time-based logins

- Access policies
- Account permissions
- Account audits
- Impossible travel time/risky login
- Lockout
- Disablement

Given a scenario, implement authentication and authorization solutions.

- · Authentication management
 - Password keys
 - Password vaults
 - TPM
 - HSM
- Knowledge-based authentication
- Authentication/authorization
 - FAP
 - Challenge-Handshake Authentication Protocol (CHAP)
 - Password Authentication
 - Protocol (PAP)

- -802.1X
- RADIUS
- Single sign-on (SSO)
- Security Assertion
- Markup Language (SAML)
- Terminal Access Controller
- Access Control System Plus (TACACS+)
- OAuth
- OpenID
- Kerberos
- Access control schemes
 - Attribute-based access control (ABAC)

- Role-based access control
- Rule-based access control
- MAC
- Discretionary access control (DAC)
- Conditional access
- Privileged access management
- Filesystem permissions

Given a scenario, implement public key infrastructure.

Public key infrastructure (PKI)

- Key management
- Certificate authority (CA)
- Intermediate CA
- Registration authority (RA)
- Certificate revocation list (CRL)
- Certificate attributes
- Online Certificate Status
- Protocol (OCSP)
- Certificate signing request (CSR)
- CN
- Subject alternative name
- Expiration

- $\bullet \, \mathsf{Types} \, \, \mathsf{of} \, \mathsf{certificates} \,$
 - Wildcard
 - Subject alternative name
 - Code signing
 - Self-signed
 - Machine/computer
 - Email
 - User
 - USEI
 - Root
 - Domain validation
- Extended validation
 Certificate formats
 - Distinguished encoding rules (DER)

- Privacy enhanced mail (PEM)
- Personal information exchange (PFX)
- -.cer
- P12
- P7B
- Concepts
 - Online vs. offline CA
 - Stapling
 - Pinning
 - Trust model
 - Key escrow
 - Certificate chaining





4.0 Operations and Incident Response

- Given a scenario, use the appropriate tool to assess organizational security.
 - · Network reconnaissance and discovery
 - tracert/traceroute
 - nslookup/dig
 - ipconfig/ifconfig
 - nmap
 - ping/pathping
 - hping
 - netstat
 - netcat
 - IP scanners
 - arp
 - route
 - curl
 - the Harvester
 - -sniper

- scanless
- dnsenum
- Nessus
- Cuckoo
- File manipulation
 - head
 - tail
 - cat
 - grep
 - chmod
 - logger
- Shell and script environments
 - SSH
 - PowerShell
 - Python

- OpenSSL
- · Packet capture and replay
 - Tcpreplay
 - Tcpdump
 - Wireshark
- Forensics
 - dd
 - Memdump
 - WinHex
 - FTK imager
 - Autopsy
- Exploitation frameworks
- Password crackers
- Data sanitization
- Summarize the importance of policies, processes, and procedures for incident response.
 - · Incident response plans
 - Incident response process
 - Preparation
 - Identification
 - Containment
 - Eradication
 - Recovery - Lessons learned

- Exercises
 - Tabletop
 - Walkthroughs
 - Simulations
- Attack frameworks
 - MITRE ATT&CK
 - The Diamond Model of Intrusion Analysis
 - Cyber Kill Chain

- Stakeholder management
- Communication plan
- Disaster recovery plan
- Business continuity plan
- · Continuity of operations planning (COOP)
- · Incident response team
- Retention policies





- Given an incident, utilize appropriate data sources to support an investigation.
 - Vulnerability scan output
 - · SIEM dashboards
 - Sensor
 - Sensitivity
 - Trends
 - Alerts
 - Correlation
 - Log files
 - Network
 - System
 - Application

- Security
- Web
- DNS
- Authentication
- Dump files
- VoIP and call managers
- Session Initiation Protocol (SIP) traffic
- syslog/rsyslog-ng
- · journalctl
- NXLog
- · Bandwidth monitors

- Metadata
 - Email
 - Mohile
 - Web
 - File
- · Netflow/sFlow
 - Netflow
 - -sFlow
 - IPFIX
- Protocol analyzer output
- Given an incident, apply mitigation techniques or controls to secure an environment.
 - Reconfigure endpoint security solutions
 - Application approved list
 - Application blocklist/deny list
 - Quarantine
 - Configuration changes
 - Firewall rules
 - MDM
 - DLP
 - Content filter/URL filter
 - Update or revoke certificates

- Isolation
- Containment
- Segmentation
- SOAR
 - Runbooks
 - Playbooks

- Explain the key aspects of digital forensics.
 - · Documentation/evidence
 - Legal hold
 - Video
 - Admissibility
 - Chain of custody
 - Timelines of sequence of events
 - Time stamps
 - Time offset
 - Tags
 - Reports
 - Event logs
 - Interviews

- Acquisition
 - Order of volatility
 - Disk
 - Random-access memory (RAM)
 - Swap/pagefile
 - OS
 - Device
 - Firmware
 - Snapshot
 - Cache
 - Network
 - Artifacts

- · On-premises vs. cloud
 - Right-to-audit clauses
 - Regulatory/jurisdiction
 - Data breach notification laws
- Integrity
 - Hashing
 - Checksums
 - Provenance
- Preservation
- E-discovery
- · Data recovery
- Non-repudiation
- Strategic intelligence/ counterintelligence





5.0 Governance, Risk, and Compliance

- Compare and contrast various types of controls.
 - Category
 - Managerial
 - Operational
 - Technical

- Control type
 - Preventive
 - Detective
 - Corrective

- Deterrent
- Compensating
- Physical
- 5.2 Explain the importance of applicable regulations, standards, or frameworks that impact organizational security posture.
 - · Regulations, standards, and legislation
 - General Data Protection Regulation (GDPR)
 - National, territory, or state laws
 - Payment Card Industry Data Security Standard (PCI DSS)
 - Key frameworks
 - Center for Internet Security (CIS)
 - National Institute of Standards
- and Technology (NIST) Risk Management Framework (RMF)/ Cybersecurity Framework (CSF)
- International Organization for Standardization (ISO) 27001/27002/27701/31000
- SSAE SOC 2 Type I/II
- Cloud security alliance

- Cloud control matrix
- Reference architecture
- Benchmarks/secure configuration guides
 - Platform/vendor-specific guides
 - Web server
 - OS
 - Application server
 - Network infrastructure devices
- Explain the importance of policies to organizational security.
 - Personnel
 - Acceptable use policy
 - Job rotation
 - Mandatory vacation
 - Separation of duties
 - Least privilege
 - Clean desk space
 - Background checks
 - Non-disclosure agreement (NDA)
 - Social media analysis
 - Onboarding
 - Offboarding
 - User training
 - Gamification
 - Capture the flag
 - Phishing campaigns
 - Phishing simulations

- Computer-based training (CBT)
- Role-based training
- · Diversity of training techniques
- · Third-party risk management
 - Vendors
 - Supply chain
 - Business partners
 - Service level agreement (SLA)
 - Memorandum of understanding (MOU)
 - Measurement systems analysis (MSA)
 - Business partnership agreement (BPA)
 - End of life (EOL)
 - End of service life (EOSL)
 - NDA

- Data
 - Classification
 - Governance
 - Retention
- Credential policies
 - Personnel
 - Third-party
 - Devices
 - Service accounts
 - Administrator/root accounts
- Organizational policies
 - Change management
 - Change control
 - Asset management





5.4 Summarize risk management processes and concepts.

- Risk types
 - External
 - Internal
 - Legacy systems
 - Multiparty
 - IP theft
 - Software compliance/licensing
- · Risk management strategies
 - Acceptance
 - Avoidance
 - Transference
 - Cybersecurity insurance
 - Mitigation
- · Risk analysis
 - Risk register
 - Risk matrix/heat map
 - Risk control assessment

- Risk control self-assessment
- Risk awareness
- Inherent risk
- Residual risk
- Control risk
- Risk appetite
- Regulations that affect risk posture
- Risk assessment types
 - Qualitative
 - Ouantitative
- Likelihood of occurrence
- Impact
- Asset value
- Single-loss expectancy (SLE)
- Annualized loss expectancy (ALE)
- Annualized rate of occurrence (ARO)

- Disasters
 - Environmental
 - Person-made
 - Internal vs. external
- · Business impact analysis
 - Recovery time objective (RTO)
 - Recovery point objective (RPO)
 - Mean time to repair (MTTR)
 - Mean time between failures (MTBF)
 - Functional recovery plans
 - Single point of failure
 - Disaster recovery plan (DRP)
 - Mission essential functions
 - Identification of critical systems
 - Site risk assessment

Explain privacy and sensitive data concepts in relation to security.

- Organizational consequences of privacy and data breaches
 - Reputation damage
 - Identity theft
 - Fines
 - IP theft
- Notifications of breaches
 - Escalation
 - Public notifications and disclosures
- Data types
 - Classifications
 - Public
 - Private
 - Sensitive
 - Confidential
 - Critical
 - Proprietary

- Personally identifiable information (PII)
- Health information
- Financial information
- Government data
- Customer data
- · Privacy enhancing technologies
 - Data minimization
 - Data masking
 - Tokenization
 - Anonymization
 - Pseudo-anonymization
- Roles and responsibilities
 - Data owners
 - Data controller
 - Data processor
 - Data custodian/steward
 - Data protection officer (DPO)

- · Information life cycle
- · Impact assessment
- Terms of agreement
- Privacy notice

Security+ (SY0-601) Acronym List

The following is a list of acronyms that appear on the CompTIA Security+ exam. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as part of a comprehensive exam preparation program.

| ACRONYM | DEFINITION | ACRONYM | DEFINITION |
|---------|---|---------|---|
| 3DES | Triple Data Encryption Standard | CAR | Corrective Action Report |
| AAA | Authentication, Authorization, and Accounting | CASB | Cloud Access Security Broker |
| ABAC | Attribute-based Access Control | CBC | Cipher Block Chaining |
| ACL | Access Control List | CBT | Computer-based Training |
| AD | Active Directory | CCMP | Counter-Mode/CBC-MAC Protocol |
| AES | Advanced Encryption Standard | CCTV | Closed-Circuit Television |
| AES256 | Advanced Encryption Standards 256bit | CERT | Computer Emergency Response Team |
| AH | Authentication Header | CFB | Cipher Feedback |
| Al | Artificial Intelligence | CHAP | Challenge-Handshake Authentication Protocol |
| AIS | Automated Indicator Sharing | CI/CD | Continuous Integration/Continuous Delivery |
| ALE | Annualized Loss Expectancy | CIO | Chief Information Officer |
| AP | Access Point | CIRT | Computer Incident Response Team |
| API | Application Programming Interface | CIS | Center for Internet Security |
| APT | Advanced Persistent Threat | CMDB | Configuration Management Database |
| ARO | Annualized Rate of Occurrence | CMS | Content Management System |
| ARP | Address Resolution Protocol | CN | Common Name |
| ASLR | Address Space Layout Randomization | COOP | Continuity of Operations Planning |
| ASP | Active Server Pages | COPE | Corporate-owned Personally Enabled |
| ATT&CK | Adversarial Tactics, Techniques, | CP | Contingency Planning |
| | and Common Knowledge | CPU | Central Processing Unit |
| AUP | Acceptable Use Policy | CRC | Cyclic Redundancy Check |
| AV | Antivirus | CRL | Certificate Revocation List |
| BASH | Bourne Again Shell | CSA | Cloud Security Alliance |
| BCP | Business Continuity Planning | CSIRT | Computer Security Incident Response Team |
| BGP | Border Gateway Protocol | CSO | Chief Security Officer |
| BIA | Business Impact Analysis | CSP | Cloud Service Provider |
| BIOS | Basic Input/Output System | CSR | Certificate Signing Request |
| BPA | Business Partnership Agreement | CSRF | Cross-Site Request Forgery |
| BPDU | Bridge Protocol Data Unit | CSU | Channel Service Unit |
| BSSID | Basic Service Set Identifier | CTM | Counter-Mode |
| BYOD | Bring Your Own Device | СТО | Chief Technology Officer |
| CA | Certificate Authority | CVE | Common Vulnerabilities and Exposures |
| CAPTCHA | Completely Automated Public Turing | CVSS | Common Vulnerability Scoring System |
| | Test to Tell Computers and Humans Apart | CYOD | Choose Your Own Device |
| | | DAC | Discretionary Access Control |



| ACRONYM | DEFINITION | ACRONYM | DEFINITION |
|---------|--|---------|---|
| DBA | Database Administrator | HIPS | Host-based Intrusion Prevention System |
| DDoS | Distributed Denial-of-Service | HMAC | Hash-based Message Authentication Code |
| DEP | Data Execution Prevention | HOTP | HMAC-based One-time Password |
| DER | Distinguished Encoding Rules | HSM | Hardware Security Module |
| DES | Data Encryption Standard | HSMaaS | Hardware Security Module as a Service |
| DHCP | Dynamic Host Configuration Protocol | HTML | Hypertext Markup Language |
| DHE | Diffie-Hellman Ephemeral | HTTP | Hypertext Transfer Protocol |
| DKIM | Domain Keys Identified Mail | HTTPS | Hypertext Transfer Protocol Secure |
| DLL | Dynamic-link Library | HVAC | Heating, Ventilation, Air Conditioning |
| DLP | Data Loss Prevention | IaaS | Infrastructure as a Service |
| DMARC | Domain Message Authentication | IAM | Identity and Access Management |
| | Reporting and Conformance | ICMP | Internet Control Message Protocol |
| DNAT | Destination Network Address Translation | ICS | Industrial Control Systems |
| DNS | Domain Name System | IDEA | International Data Encryption Algorithm |
| DNSSEC | Domain Name System Security Extensions | IDF | Intermediate Distribution Frame |
| DoS | Denial-of-Service | IdP | Identity Provider |
| DPO | Data Protection Officer | IDS | Intrusion Detection System |
| DRP | Disaster Recovery Plan | IEEE | Institute of Electrical and Electronics Engineers |
| DSA | Digital Signature Algorithm | IKE | Internet Key Exchange |
| DSL | Digital Subscriber Line | IM | Instant Messaging |
| EAP | Extensible Authentication Protocol | IMAP4 | Internet Message Access Protocol v4 |
| ECB | Electronic Code Book | IoC | Indicators of Compromise |
| ECC | Elliptic-curve Cryptography | IoT | Internet of Things |
| ECDHE | Elliptic-curve Diffie-Hellman Ephemeral | IP | Internet Protocol |
| ECDSA | Elliptic-curve Digital Signature Algorithm | IPS | Intrusion Prevention System |
| EDR | Endpoint Detection and Response | IPSec | Internet Protocol Security |
| EFS | Encrypted File System | IR | Incident Response |
| EIP | Extended Instruction Pointer | IRC | Internet Relay Chat |
| EOL | End of Life | IRP | Incident Response Plan |
| EOS | End of Service | ISA | Interconnection Security Agreement |
| ERP | Enterprise Resource Planning | ISFW | Internal Segmentation Firewall |
| ESN | Electronic Serial Number | ISO | International Organization for Standardization |
| ESP | Encapsulating Security Payload | ISP | Internet Service Provider |
| ESSID | Extended Service Set Identifier | ISSO | Information Systems Security Officer |
| FACL | File System Access Control List | ITCP | IT Contingency Plan |
| FDE | Full Disk Encryption | IV | Initialization Vector |
| FIM | File Integrity Monitoring | JSON | JavaScript Object Notation |
| FPGA | Field Programmable Gate Array | KDC | Key Distribution Center |
| FRR | False Rejection Rate | KEK | Key Encryption Key |
| FTP | File Transfer Protocol | L2TP | Layer 2 Tunneling Protocol |
| FTPS | Secured File Transfer Protocol | LAN | Local Area Network |
| GCM | Galois/Counter Mode | LDAP | Lightweight Directory Access Protocol |
| GDPR | General Data Protection Regulation | LEAP | Lightweight Extensible Authentication Protocol |
| GPG | GNU Privacy Guard | MaaS | Monitoring as a Service |
| GPO | Group Policy Object | MAC | Media Access Control |
| GPS | Global Positioning System | MAM | Mobile Application Management |
| GPU | Graphics Processing Unit | MAN | Metropolitan Area Network |
| GRE | Generic Routing Encapsulation | MBR | Master Boot Record |
| HA | High Availability | MD5 | Message Digest 5 |
| HDD | Hard Disk Drive | MDF | Main Distribution Frame |
| HIDS | Host-based Intrusion Detection System | MDM | Mobile Device Management |



| ACRONYM | DEFINITION | ACRONYM | DEFINITION |
|------------------|--|----------------|--|
| MFA | Multifactor Authentication | PAP | Password Authentication Protocol |
| MFD | Multifunction Device | PAT | Port Address Translation |
| MFP | Multifunction Printer | PBKDF2 | Password-based Key Derivation Function 2 |
| ML | Machine Learning | PBX | Private Branch Exchange |
| MMS | Multimedia Message Service | PCAP | Packet Capture |
| MOA | Memorandum of Agreement | PCI DSS | Payment Card Industry Data Security Standard |
| MOU | Memorandum of Understanding | PDU | Power Distribution Unit |
| MPLS | Multiprotocol Label Switching | PE | Portable Executable |
| MSA | Measurement Systems Analysis | PEAP | Protected Extensible Authentication Protocol |
| MS-CHAP | Microsoft Challenge-Handshake | PED | Portable Electronic Device |
| | Authentication Protocol | PEM | Privacy Enhanced Mail |
| MSP | Managed Service Provider | PFS | Perfect Forward Secrecy |
| MSSP | Managed Security Service Provider | PGP | Pretty Good Privacy |
| MTBF | Mean Time Between Failures | PHI | Personal Health Information |
| MTTF | Mean Time to Failure | PII | Personally Identifiable Information |
| MTTR | Mean Time to Repair | PIN | Personal Identification Number |
| MTU | Maximum Transmission Unit | PIV | Personal Identity Verification |
| NAC | Network Access Control | PKCS | Public Key Cryptography Standards |
| NAS | Network-attached Storage | PKI | Public Key Infrastructure |
| NAT | Network Address Translation | PoC | Proof of Concept |
| NDA | Non-disclosure Agreement | POP | Post Office Protocol |
| NFC | Near-field Communication | POTS | Plain Old Telephone Service |
| NFV | Network Function Virtualization | PPP | Point-to-Point Protocol |
| NGFW | Next-generation Firewall | PPTP | Point-to-Point Tunneling Protocol |
| NG-SWG | Next-generation Secure Web Gateway | PSK | Preshared Key |
| NIC | Network Interface Card | PTZ | Pan-Tilt-Zoom |
| NIDS | Network-based Intrusion Detection System | PUP | Potentially Unwanted Program |
| NIPS | Network-based Intrusion Prevention System | QA | Quality Assurance |
| NIST | National Institute of Standards & Technology | QoS | Quality of Service |
| NOC | Network Operations Center | RA | Registration Authority |
| NTFS | New Technology File System | RAD | Rapid Application Development |
| NTLM | New Technology LAN Manager | RADIUS | Remote Authentication Dial-in User Service |
| NTP | Network Time Protocol | RAID | Redundant Array of |
| NTPSec | Network Time Protocol Secure | | Independent (or Inexpensive) Disks |
| OCSP | Online Certificate Status Protocol | RAM | Random Access Memory |
| OID | Object Identifier | RAS | Remote Access Server |
| OS | Operating System | RAT | Remote Access Trojan |
| OSI | Open Systems Interconnection | RC4 | Rivest Cipher version 4 |
| OSINT | Open-source Intelligence | RCS | Rich Communication Services |
| OSPF | Open Shortest Path First | RDP | Remote Desktop Protocol |
| OT | Operational Technology | RFC | Request for Comments |
| OTA | Over-The-Air | RFI | Remote File Inclusion |
| OTG | On-The-Go | RFID | Radio Frequency Identification |
| OVAL | Open Vulnerability and Assessment Language | RIPEMD | RACE Integrity Primitives |
| OWASP | Open Web Application Security Project | | Evaluation Message Digest |
| P12 | PKCS #12 | ROI | Return on Investment |
| P ₂ P | Peer-to-Peer | RPO | Recovery Point Objective |
| PaaS | Platform as a Service | RSA | Rivest, Shamir, & Adleman |
| PAC | Proxy Auto Configuration | RTBH | Remotely Triggered Black Hole |
| PAM | Privileged Access Management | RTO | Recovery Time Objective |
| PAM | Pluggable Authentication Modules | RTOS | Real-time Operating System |
| - - | 00 | | |



| ACRONYM | DEFINITION | ACRONYM | DEFINITION |
|-------------|---|--------------|--|
| RTP | Real-time Transport Protocol | TACACS+ | Terminal Access Controller Access Control System |
| S/MIME | Secure/Multipurpose Internet Mail Extensions | TAXII | Trusted Automated eXchange |
| SaaS | Software as a Service | | of Intelligence Information |
| SAE | Simultaneous Authentication of Equals | TCP | Transmission Control Protocol |
| SAML | Security Assertions Markup Language | TCP/IP | Transmission Control Protocol/Internet Protocol |
| SAN | Storage Area Network | TGT | Ticket Granting Ticket |
| SCADA | Supervisory Control and Data Acquisition | TKIP | Temporal Key Integrity Protocol |
| SCAP | Security Content Automation Protocol | TLS | Transport Layer Security |
| SCEP | Simple Certificate Enrollment Protocol | TOTP | Time-based One Time Password |
| SDK | Software Development Kit | TPM | Trusted Platform Module |
| SDLC | Software Development Life Cycle | TSIG | Transaction Signature |
| SDLM | Software Development Life-cycle Methodology | TTP | Tactics, Techniques, and Procedures |
| SDN | Software-defined Networking | UAT | User Acceptance Testing |
| SDP | Service Delivery Platform | UDP | User Datagram Protocol |
| SDV | Software-defined Visibility | UEBA | User and Entity Behavior Analytics |
| SED | Self-Encrypting Drives | UEFI | Unified Extensible Firmware Interface |
| SEH | Structured Exception Handling | UEM | Unified Endpoint Management |
| SFTP | SSH File Transfer Protocol | UPS | Uninterruptible Power Supply |
| SHA | Secure Hashing Algorithm | URI | Uniform Resource Identifier |
| SIEM | Security Information and Event Management | URL | Universal Resource Locator |
| SIM | Subscriber Identity Module | USB | Universal Serial Bus |
| SIP | Session Initiation Protocol | USB OTG | USB On-The-Go |
| SLA | Service-level Agreement | UTM | Unified Threat Management |
| SLE | Single Loss Expectancy | UTP | Unshielded Twisted Pair |
| SMB | Server Message Block | VBA | Visual Basic for Applications |
| S/MIME | Secure/Multipurpose Internet Mail Extensions | VDE | Virtual Desktop Environment |
| SMS | Short Message Service | VDI | Virtual Desktop Infrastructure |
| SMTP | Simple Mail Transfer Protocol | VLAN | Virtual Local Area Network |
| SMTPS | Simple Mail Transfer Protocol Secure | VLSM | Variable-length Subnet Masking |
| SNMP | Simple Network Management Protocol | VM | Virtual Machine |
| SOAP | Simple Object Access Protocol | VoIP | Voice over IP |
| SOAR | Security Orchestration, Automation, Response | VPC | Virtual Private Cloud |
| SoC | System on Chip | VPN | Virtual Private Network |
| SOC | Security Operations Center | VTC | Video Teleconferencing |
| SOX | Sarbanes Oxley Act | WAF | Web Application Firewall |
| SPF | Sender Policy Framework | WAP | Wireless Access Point |
| SPIM | Spam over Instant Messaging | WEP | Wireless Intrusion Potastion System |
| SQL | Structured Query Language | WIDS | Wireless Intrusion Detection System Wireless Intrusion Prevention System |
| SQLi | SQL Injection Secure Real-time Transport Protocol | WIPS WLAN | Wireless Inclusion Prevention System Wireless Local Area Network |
| SRTP SSD | Solid State Drive | WORM | Write Once Read Many |
| SSH | Secure Shell | WPA | WiFi Protected Access |
| SSID | Service Set Identifier | WPS | WiFi Protected Access WiFi Protected Setup |
| SSL | Secure Sockets Layer | XaaS | Anything as a Service |
| SSO | Single Sign-on | XML | Extensible Markup Language |
| SSRF | Server-side Request Forgery | XOR | Exclusive OR |
| STIX | Structured Threat Information eXpression | XSRF | Cross-site Request Forgery |
| STP | Shielded Twisted Pair | XSS | Cross-site Scripting |
| CMC | Carrier Wale Catarray | 733 | cross site scripting |



SWG Secure Web Gateway

Security+ Proposed Hardware and Software List

CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the Security+ exam. This list may also be helpful for training companies that wish to create a lab component for their training offering. The bulleted lists below each topic are sample lists and are not exhaustive.

HARDWARE

- Laptop with Internet access
- · Separate wireless NIC
- WAP
- Firewall
- UTM
- Mobile device
- Server/cloud server
- IoT devices

SOFTWARE

- · Virtualization software
- Penetration testing OS/distributions (e.g., Kali Linux, Parrot OS)
- SIEM
- Wireshark
- Metasploit
- tcpdump

OTHER

Access to a CSP

